

CARDIAC SURGERY

National Clinical Priority Assessment Criteria (CPAC)

AORTIC REGURGITATION

Patient ID: Complete patient details or place patient sticker here _____

Nat. Hospital No.: _____ Consultant: _____

Name: _____ D.O.B. ___/___/___

Address: _____

Name of Assessor: _____

Date of Assessment: ___/___/___

1. SEVERITY (assessed by established angiographic and/or echocardiographic criteria)

Moderate	10	
Severe	20	

Maximum 20

2. SYMPTOMS (NYHA Class)

Class 1	0	
Class 2	15	
Class 3	20	
Class 4	25	
History of pulmonary oedema	20	

Maximum 25

3. LEFT VENTRICULAR CONTRACTILE FUNCTION

ECHOCARDIOGRAPHIC

ESD	4.5 – 5.1cm	5	
	5.2 – 5.5cm	20	
	>5.5cm	25	

ANGIOGRAPHIC

OR	ESVI	65 – 75ml/m ²	5	
		76 – 95ml/m ²	20	
		>95ml/m ²	25	

SF	27 – 29%	10	
	<27%	20	

OR	EF	45 – 55%	10	
		<45%	20	

Maximum 45

4. ASSOCIATED FACTORS

Aortic Stenosis (moderate or more)	10	
Mitral valve disease (moderate or more)	10	
Coronary Artery Disease (3 vessel disease >50% stenosis or proximal LAD >50% stenosis)	10	

Maximum 10

TOTAL SCORE =